

Ref. MO4655

THERMAL PROTECTION



DESCRIPTION

Material >> Fiber of the Kevlar® brand heavy knitted

Lined >> Thick cotton

Heat insulation >> 500°C

Length >> 27 cm

SECTORS

Maintenance

Service

APPLICATIONS EXAMPLES

- General and heavy handling of sharp and hot objects (aluminium/metal),
- Handling in metallurgy and steel industry

HEAT PROTECTION

The +

- High protection against heat and cuts
- Long service life



PURCHASE PACKAGING

REF.	SIZES		
4655	10 - 27cm	5	50
4657	10 - 35 cm	5	50

PACKAGING

1 Pair / Bag



X1



X10

See also

Variant



MO4657



MO4685

TECHNICAL FEATURES

Fabrics	Kevlar brand heavy seamless knit	Supplement information	Thermal insulation up to 500°C
Lining	Cotton lining	Supplement information 2	Length: 27 cm
Type Of Cuff	Knit wrist	Exterior Finish	Smooth
Construction	Seamless knitting		

INSTRUCTIONS FOR USE AND STORAGE

Instructions for use :

- It is recommended to pre-test the gloves, as the actual conditions of use may differ from those of the "EC" tests. Performance levels are only guaranteed on the palm of the glove when new.
- Wear gloves on dry, clean hands.
- Do not use gloves in contact with a chemical product for longer than the measured permeation time. Refer to the website www.europrotection.com
- In use with a dangerous liquid, turn the cuff edge over to prevent drops from falling on the arm.

Storage instructions :

- Keep gloves away from light, moisture and sources of heat.

Cleaning instructions :

- The washing of the gloves varies according to the materials of the product. See the recommendations on the package leaflet.

LEGISLATION

This glove conforms to the personal protective equipment model covered by the EC type-examination certificate. **5980 Issue 1**. Delivered by **SATRA (321)**.

EN420:2003+A1:2009

- Protective gloves
- General requirements for gloves

EN388:2003



1.X.4.0.D

- Protective gloves against mechanical risks

EN407:2004



4.4.X.X.X.X

- Protective gloves against thermal risks (heat and/or fire)